



Customer Contact Information & Quote Request Form

E-mail from our Website or Fax to: 805-522-9379

www.ckesigntech.com

Date	Your Name	Your E-Mail	Requested Ship Date:	
Company	Area Code / Phone Numbers / Ext / Cell / Fax		Your UPS or FedEx Account #	
Ship to: Address	City,	St. - Country	Zip	Attn to:
Bill to: Address	City,	St. - Country	Zip	Attn to:
Project Engineer Name, Ext. # , E-mail & cell#				
Company Check ____; [Credit Card # Visa, MC, AE		Exp. Date & Card Code]	Taxable ____ Tax Rate ____%	or Resale #
				Your PO. #

Tone RC Servos "Rotary" (They contain their own servo motor controllers) Prices may change without notice.

Item	Part Number	Description	Qty	Price	Total
1	PS-050	Tone R/C Servo 6-9 Volt			
2	SSPS105 Std. Speed	Select: Voltage: ____ 12V; or ____ 24V; Travel: ±45° ____; or ±90° ____; or ±180° ____			
3	SSPS105 High Speed	Select: Voltage: ____ 12V; or ____ 24V; Travel: ±45° ____; or ±90° ____; or ±180° ____			

CK's Linear Actuators

Notes: L16 & W Series, potentiometers are standard. W10 and W70 Series can be special ordered with just limit switches, no potentiometer. L13's are Limit Switched only.

Item	Series Type	Voltage	Stroke "	Load (lbf.) / Speed	Notes	Qty	Price	Total
4	L13-Series	12-24V	.62 to 1.75"	30 lbf @ .27"/sec. Stroke ____ "	P/N			
5	L16-2" Series	__ 12V, or __ 24V	2"	____ lbf @ ____"/sec. (See Chart)	P/N			
6	L16-3" Series	__ 12V, or __ 24V	3"	____ lbf @ ____"/sec. (See Chart)	P/N			
7	SL16-Option	Limit Switches only , no feedback. For L16's only. "SL16"						
8	LB16-Option	Both Limit Switches & Potentiometer . For L16's only. "LB16"						
9	L-Clevis Options	E= .312" Longer; 9= 90° Rotated; 3/8" I.D. Ball Joints: B or B9. "Use in suffix of P/N"						
10	__ W10 Series	__ 12V, or __ 24V	2" __ 4" __ 6"	Select: 25lb@3"/sec; 40lb@1.5"/sec; 75lb@1"/sec.				
11	__ W70 Series	24V	2" __ 4" __ 6"	Select: 50lb@3"/sec; 100lb@1.5"/sec; 150lb@1"/sec				
12	W90 Series	24V	2" __ 4" __ 6"	Select: 60lb@5"/sec; 100lb@3.0"/sec; 150lb@1.5"/sec				
13	Up-Grades	For Flight type applications. Temp. Range, Mil Spec Cable & Connectors, etc... Ask for Details						

Servo Motor Controllers (SMC) for our Linear Actuators, RC/DC Converter & Plug & Play Cables

Item	Part Number	Description	Qty	Price	Total
14	S6PWM-ServoAmp	Servo Motor Controller for L16, W10 & W70-Series Actuators. Jumper Options _____			
15	S6PWM-Cable	Plug & Play Actuators to your controller: Inputs: RC __, DC __. Both ____			
16	12PWM-ServoAmp	Servo Motor Controller for W90-Series Actuators. DC input only. (Add item#8 to add RC input)			
17	12PWM-Cable	Cable for Plug & Play with 12PWM Amp to W90 Series Linear Actuators. 1.25-3.75dcv in			
18	RC/DC Converter	R/C Input (1-2ms. PCM Radio Receiver) to DCV 12 Bit. Output for W90 ____; or 0-5V ____; other ____			

CK Accessories, Servo Cable Extensions, and Pig Tails

Item	Part Number	Description	Qty	Price	Total
19	Manual Test Pot	5K Linear Pot, DC input command Manual Plug & Play testing. Select: 0-5V or 1.25-3.75V			
20	S6PWM PIC IC	Select Code: F ()A See Manual for proper CPU code.			
21	30"CK Ext. Cable	30" CK Servo Extension Cable with In-line 6-pin connectors. Usually in stock			
22	Custom CK Ext. Cables	Lengths: (____ ea. @ ____), (____ ea. @ ____), (____ ea. @ ____)			
23	Connector Sets	For above: 6Pin in-line Plugs "Male and Female installed on CK Cable"			
24	One Plug on CK Pig Tail	(Male ____) or (Female mates to actuators ____) 6pin Plug			
25					

Please, Provide us with a brief description of your application and operating environment. ____ Check for flight or special operations.